

AMENDMENTS TO THE CLAIMS

The following Listing of Claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 - 4 (canceled)

Claim 5 (currently amended): A play toy system using a remote-controlled traveling toy, comprising:

a remote control device for outputting a remote control signal;

a remote-controlled traveling three-wheeled toy ~~including having~~ one front wheel, two rear wheels, and an electric motor remote controlled by said remote control signal; and

a play board having a travel surface on which said remote-controlled traveling toy travels;

wherein diameter sizes of said two rear wheels of said remote-controlled traveling toy are different;

wherein said play board is shaped so that said travel surface is continuous in a circumferential direction thereof and a height thereof from an installation surface is decreasing toward a central portion thereof; and

in said central portion thereof is formed a concave section with a size capable of fully receiving said front wheel and/or said rear wheels and a depth allowing said remote-controlled traveling toy to get out of there by itself.

Claim 6 (original): The play toy system using a remote-controlled traveling toy according to claim 5, wherein an angle between an inner periphery surface of said concave section and said installation surface is set to an angle range of $93\pm 1^\circ$.

Claim 7 (previously presented): The play toy system using a remote-controlled traveling toy according to claim 5, wherein a main portion of said travel

surface comprises a first inclined surface adjacent to said concave section and having a first radius of curvature and a second inclined surface continuous with an outside of said first inclined surface and having a second radius of curvature close to infinity; and

an angle of said second inclined surface from said installation surface is set in the angle range of 32.2° to 42.2°.

Claim 8 (previously presented): The play toy system using a remote-controlled traveling toy according to claim 5, wherein said travel surface comprises a first inclined surface adjacent to said concave section and having a first radius of curvature, a second inclined surface continuous with an outside of said first inclined surface and having a second radius of curvature close to infinity, a third inclined surface continuous with an outside of said second inclined surface and having a third radius of curvature smaller than the first radius of curvature, and a fourth inclined surface continuous with an outside of said third inclined surface and having a fourth radius of curvature smaller than the third radius of curvature;

width sizes of said first, second, third, and fourth inclined surfaces become smaller in an order of said second inclined surface, said first inclined surface, said third inclined surface, and said fourth inclined surface; and

an angle of said second inclined surface from said installation surface is set in the angle range of 32.2° to 42.2°.

Claim 9 (original): The play toy system using a remote-controlled traveling toy according to claim 8, wherein an angle between said third inclined surface and said installation surface is set in an angle range of $48 \pm 2^\circ$; and

an angle between said fourth inclined surface and said installation surface is set in an angle range of $89 \pm 1^\circ$.

Claim 10 (original): The play toy system using a remote-controlled traveling toy according to claim 9, wherein a substantially horizontal surface is provided outside said fourth inclined surface.

Claims 11 - 18 (canceled)

Claim 19 (currently amended): A play board having a travel surface on which a remote-controlled traveling three-wheeled toy travels, the toy having one front wheel, two rear wheels, and an electric motor remotely controlled by a remote control signal, wherein

said travel surface is shaped to be continuous in a circumferential direction thereof and have a height thereof from an installation surface is decreasing toward a central portion thereof; and

in said central portion thereof is formed a concave section with a size capable of fully receiving said front wheel and/or said rear wheels and a depth allowing said remote-controlled traveling toy to get out of there by itself.

Claim 20 (previously presented): The play toy system using a remote-controlled traveling toy according to claim 6, wherein a main portion of said travel surface comprises a first inclined surface adjacent to said concave section and having a first radius of curvature and a second inclined surface continuous with an outside of said first inclined surface and having a second radius of curvature close to infinity; and

an angle of said second inclined surface from said installation surface is set in the angle range of 32.2° to 42.2°.

Claim 21 (previously presented): The play toy system using a remote-controlled traveling toy according to claim 6, wherein said travel surface comprises a first inclined surface adjacent to said concave section and having a first radius of curvature, a second inclined surface continuous with an outside of said first inclined surface and having a second radius of curvature close to infinity, a third inclined surface continuous with an outside of said second inclined surface and having a third radius of curvature smaller than the first radius of curvature, and a fourth inclined surface continuous with an outside of said third inclined surface and having a fourth radius of curvature smaller than the third radius of curvature;

width sizes of said first, second, third, and fourth inclined surfaces become

smaller in an order of said second inclined surface, said first inclined surface, said third inclined surface, and said fourth inclined surface; and

an angle of said second inclined surface from said installation surface is set in the angle range of 32.2° to 42.2°.

Claim 22 (canceled)